Index

SUBJECTS

Acantholytic dermatosis, relapsing linear, 349
Acne therapy and anti-androgenic drugs, 329
Actinic superficial folliculitis, 603
Adherence of neutrophils in psoriasis, 655
Amyloidosis, familial primary cutaneous, 201
Amyloidosis in sclerodermatomyositis, 213
Amyloidosis, primary, target-like lesions, 209
Anatomy of striae, 185
Angiosarcoma of scalp, immunohistochemistry, 97
Anthralin effect on mitochondria, 509
Antibodies to epidermis, age incidence, 687
α_1-Antitrypsin deficiency and PI typing in chronic urticaria, 381
α_1-Antitrypsin deficiency in psoriasis, 129
Aphthae, necrotic, treated with thalidomide (Correspondence), 632
Astemizole and chlorpheniramine in urticaria compared, 447
Atopic dermatitis and pityriasis alba (Correspondence), 247
Atopic dermatitis, palmoplantar markings and keratosis pilaris, 679
Atopic eczema and intestinal permeability, 291
Atopic eczema and topical sodium cromoglycate, 343
Atopic eczema, T-lymphocyte subsets and Langerhans cells, 149
Atrichial sweat gland ultrastructure, 165

Bacteriology and serology in cellulitis and erysipelas, 559
Blister formation in epidermolysis bullosa, 553
Book reviews:
A Clinician's Guide to Fungal Disease. S.O.B.Roberts, R.J.Hay and D.W.R.MacKenzie, 733
A Colour Atlas of the Nail in Clinical Diagnosis. D.W.Beaven and S.E.Brookes, 732
Acquired Immunodeficiency Syndrome. Memorandum from a W.H.O. meeting (1984), 375
Allergy. Immunological and Clinical Aspects. Edited by M.H.Lessof, 507
Allegy to Chemicals and Organic Substances in the Workplace. G.W.Cambridge and B.F.J.Goodwin, 377
An Encyclopaedia of Shampoo Ingredients. A.L.L. Hunting, 377
Arthropods and human skin. J.O'D.Alexander, 633
Biology of the Integument. 1. Invertebrates. Edited by J.Bereiter-Hahn, A.G.Matelzy and K.S.Richards, 731
Body and Personality. Brian Wells, 251
Burket's Oral Medicine. Diagnosis and Treatment. Edited by M.A.Lynch, V.J.Brightman and M.S.Greenberg, 633
Clinical Dermatology Illustrated. A Regional Approach. J.R.T.Reeves and H.Maibach, 733
Clinical Manual of Infectious Diseases. M.W.Rytel and W.J.Mogabgab, 378
Current Perspectives in Immunodermatology. Edited by Rona M.MacKie, 249
Dermatologie Professionelle, J.-M.Lachapelle, 249
Dermatologie und Venereologie. O.Braun-Falco, G.Plewig and H.H.Wolff, 126
Dermatology—Management of Common Diseases in Family Practice. L.Fry and M.N.P.Cornell, 735
Diseases of the Hair and Scalp. vol. 12 Current Problems in Dermatology. L.Bartošová, V.Jorda and Z.Štáva, 734
Diseases of the Nails and their Management. Edited by R.Baran and R.P.R.Dawber, 732
Hair Transplant Surgery. O.T.Norwood and R.C.Shiell, 250
Hutchison's Clinical Methods. M.Swash and S.Mason, 250
Hydroxyanisole: Recent Advances in Anti-Melanoma Therapy. Edited by P.A.Riley, 127
Leonardo Da Vinci: Anatomical Drawings from the Royal Library, Windsor Castle (1983). Edited by Polly Cone, 251
Milne's Dermatopathology. Second edition. Edited by Rona.M.MacKie, 375
Monographs in Clinical Pharmacology. Vol.7 Clinical Pharmacology of Skin Disease. D.R.Bickers, P.G.Hazen and W.S.Lynch, 735
Pathophysiology of Dermatologic Diseases. Edited by N.A.Soter and H.P.Baden, 375
Principles and Practice of Dermatology. W.E.de Launey and W.A.Land, 507
Primer of Dermatopathology. A.F.Hood, T.H.Kwan, D.C.Burnes and M.C.Mihm, Jr., 126
Skin Diseases. Denis E. Sharvill, 249
The Retinoids. Edited by M.B.Sporn, A.B.Roberts and D.S.Goodman, 376
The Structure and Function of Oral Mucosa. Edited by J.Meyer, C.A.Squier and S.J.Gerson, 633
Traité de Mycologie Médicale. D.Grigoriu, J.Delacretaz and D.Borelli, 733
Year Book of Dermatology. Edited by A.J.Sober and T.B.Fitzpatrick, 634
Bullae in diabetics (Correspondence), 248
Bullous ichthyosiform hyperkeratosis (Case Report), 227

Captopril modulating induced vascular permeability, 43
Carcinoid tumour and climacteric flushing, 357
Cellulitis and erysipelas, bacteriology and serology, 559
Chlorpheniramine and astemizole compared in urticaria, 447

Chromomycosis treated with itraconozole (Correspondence), 728
Cinnarizine inducing lichen planus pemphigoides-like lesions, 607
Cirrhosis, biliary, and lichen sclerosus (Correspondence), 729
Climacteric flushing with carcinoid, 357
Clobetasol propionate ointment and cryotherapy, 599
Cryotherapy inflammation reduced by clobetasol propionate ointment, 599
Coal miners, foot infection, 405
Coal tar and isoquinoline in psoriasis, 323
Connective tissue destruction, mechanisms, 715
Contact sensitivity suppressed by topical glucocorticoids, 539
Coudability gaps and Steinmannism (Correspondence), 630
Cytophagocytic histiocytosis and T-cell lymphoma with panniculitis, 87

Dandruff and zinc pyrithione shampoo, 415
Dapsone and oxygen intermediates, (Correspondence), 246
Dermal hypoplasia and neurofibromatosis, 435
Dermatitis from autoimmune progesterone therapy, 487
Dermatitis herpetiformis and male sex hormone, 57
Dermatitis herpetiformis exacerbated by indomethacin, 443
Dermatomyositis, epidermal nuclear immunofluorescence, 15
Dermatophytosis, ketoconazole and griseofulvin compared, 691
Diabetic bullae (Correspondence), 248
Diabetic keratin and non-enzymatic glycosylation, 547
Dithranol effect on mitochondria, 509
Diverticula, jejunal and skin changes, 709
DNA in lymphoid infiltrates and patch tests, 253
DNA synthesis in uninvolved psoriatic epidermis, 263

Eccrine sweat glands, intercellular canaliculi, 397
Eczema, epidermal phospholipase A_2 activity, 135
Eczema of hands, X-ray versus Grenz ray therapy, 339
Electron beam irradiation for T-cell lymphoma, 697
Epidermal cell growth inhibited by retinoids, 637
Epidermal nuclear immunofluorescence, 15
Epidermal nuclei and speckled immunofluorescence, 555
Epidermis, human, age incidence of antibodies, 687
Epidermis, polyamine distribution, 393
Epidermolysis bullosa blister formation, 533
Epidermolysis with hereditary palmoplantar keratoderma, 221
Eruptions, fixed, 575
Erysipelas and cellulitis, bacteriology and serology, 559
Erythroderma due to etretinate (Correspondence), 373
Etretinate and PUVA compared in palmoplantar pustulosis, 455
Etretinate and PUVA in psoriasis (Correspondence), 121
Etretinate causing erythroderma (Correspondence), 373
Etretinate for eruptive keratoacanthoma, 579
Etretinate for harlequin fetus, 585
Etretinate in psoriasis, effect on liver, 77
Etretinate therapy and hepatitis, 591
Etretinate (Tigason) and isotretinoin (Roaccutane) effect on lipoproteins compared, 69

Fatty acids in leprous plasma phospholipids, 673
Fibrin-fibronectin microclot in psoriasis, 271
Fibrosis, therapeutic control, 363
Fixed eruptions, 575
5-Fluorouracil topically and melanonychia, 621
Folliculitis, actinic, superficial, 603
Foot infection in coal miners, 405

Glucagonoma syndrome (Case Report), 229
Glucocorticoids topically to suppress contact sensitivity, 539
Glycosylation of diabetic keratin, 547
Griseofulvin and ketoconazole in dermatophytosis compared, 691

Haemochromatosis presenting with pruritus (Correspondence), 629
Haemodynamics, venous flow measurements (Summary), 232
Hand eczema therapy, X-ray versus Grenz ray, 339
Harlequin fetus treated wih etretinate, 585
Henoch-Schönlein purpura, 235
Hepatitis and etretinate therapy, 591
Hepatitis and lichen planus (Correspondence) 631
Herpes simplex, recurrent, and zinc sulphate (Correspondence), 123
Hyaluronate in psoriasis, 663
Hyperkeratosis, bullous ichthyosiform (Case Report), 227

Ichthyosiform bullous hyperkeratosis (Case Report), 227
Ichthyosis linearis circumflexa studies, 277
Ichthyosis, palmoplantar markings and keratosis pilaris, 679
Ichthyosis, recessive X-linked, prenatal diagnosis and presentation, 423
Ichthyosis vulgaris and X-linked, steroid sulphatase deficiency, 431
Immunofluorescence, epidermal nuclear, 15
Indian pemphigus, immunofluorescence (Correspondence), 503
Indomethacin and dermatitis herpetiformis, 443
Infra-red coagulation for tattoo removal, 481
Intestinal permeability in atopic eczema, 291
Irritation of skin from transdermal drug systems, 461
Isoniazid causing generalized pustular dermatosis (Correspondence), 504
Isoquinoline content of coal tar in psoriasis, 323
Isotretinoin (Roaccutane) and etretinate (Tigason) effect on lipoproteins compared, 69
Itraconazole in chromomycosis (Correspondence), 728

Jejunal diverticula and skin changes, 709

Keratinocyte class II histocompatibility antigen expression (Correspondence), 373
Keratinocyte protective mechanisms, 493
Keratinocytes, abnormal maturation in psoriasis, 647
Keratoacanthoma eruptive treated with etretinate, 579
Keratoderma palmoplantar with epidermolysis, 221

Keratosis pilaris in atopic dermatitis and ichthyosis, 679
Ketoconazole and griseofulvin in dermatophytosis compared, 691

Langerhans cells in atopic eczema, 149
Leprosy plasma and essential fatty acids, 673
Leukocytes in psoriasis, the 'metabolic burst', 387
Lichen aureus, 307
Lichen planus and hepatitis (Correspondence), 631
Lichen planus pemphigoides-like rash with cinnarizine, 607
Lichen sclerosus et atrphicus and biliary cirrhosis (Correspondence), 729
Linear acantholytic dermatosis, 349
Lipoproteins, effect of etretinate and isotretinoin, 69
Livedo racemosa generalisata, histology, 703
Liver, effect of long term etretinate, 77
Lupus erythematosus, epidermal nuclear immunofluorescence, 15
Lupus pernio: a clinico-radiological study, 315
Lymphocytes of blood and T-cell lymphoma (Summary), 231
Lymphoid infiltrates and single cell DNA, 253
Lymphoma, cutaneous T-cell, and blood lymphocytes, (Summary), 231

Madura-mycosis (Case Report), 229
Malignant angiosarcoma of scalp, immunohistochemistry, 97
Malignant melanoma cells from hair follicle? (Coresponcence), 727
Megaloblastic anaemia in psoriatics on methotrexate (Correspondence), 630
Melanoma cells from hair follicle? (Correspondence), 727
Melanonychia induced by topical 5-fluorouracil, 621
Methotrexate causing megaloblastic anaemia (Correspondence), 630
5-methoxypsoralen preparations compared, 469
α_1-Microglobulin, a new antigenic component in human skin, 35
Miners, foot infection, 405
Mitochondia and anthralin, 509
Mycosis fungoides and total skin irradiation, 697
Mycosis fungoides, polychemotherapy (Summary), 232

Nail dystrophy of great toe nails (Correspondence), 124
Nail staining from topical tartrazine (Correspondence), 728
Neurofibromatosis, segmental, 107
Neurofibromatosis dermal hypoplasia, a study, 435
Neutrophil receptors in pustular psoriasis and pustulosis, 53
News and Notices, 128, 252, 379, 511, 635, 737

Obituaries: Peter Forbes Borrie, 119; Robert Workman Carslaw, 626; Niels Danbolt, 726; Eric Muir Donaldson, 627; Agnese Kelly, 245; Robert Mackenna, 725; Hugh John Wallace, 241

Paf-acether effect in human skin, 285
Paget cells derived from glandular epithelium, 179
Palmoplantar keratoderma with epidermolysis, 221
Palmoplantar markings in atopic dermatitis and ichthyosis, 679
Palmo-plantar pustulosis and neutrophil receptors, 53
Palmoplantar pustulosis, etretinate and PUVA treatment compared, 455
Panniculitis, T-cell lymphoma and cytophagocytic histiocytosis, 87
Paraplegia, sebum excretion rate and skin temperature, 569
Patch test, new TRUE-test, 63
Patch tests and single cell DNA, 253
Pemphigus, Indian, immunofluorescence (Correspondence), 503
Pemphigus-like antigens and SCaBER cells, 157
Perfusion of human skin *in vitro*, 299
Phospholipase A_2 activity in eczema, 135
Phospholipase A_2 activity in psoriasis, 135
Photosensitivity, sunscreens evaluated, 83
Pigmented purpuric dermatitis, lichen aureus, 307
Pityriasis alba and atopic dermatitis (Correspondence), 247
Platelet activating factor in human inflammation, 285
Polyamines in human epidermis, 393
Polyneuropathy during thalidomide therapy, 475
Progesterone dermatitis and amenorrhoea, 487
Proteases in epidermolysis bullosa blister formation, 533
Pruritus in haemochromatosis (Correspondence), 629
Psoriasis, adherence of neutrophils to endothelium, 655
Psoriasis and hyaluronate, 663
Psoriasis and stellate fibro-fibronectin microclot formation, 271
Psoriasis, α_1-antitrypsin deficiency, 129
Psoriasis, DNA synthesis in uninvolved skin, 263
Psoriasis, epidermal phospholipase A_2 activity, 135
Psoriasis, isoquinoline in coal tar, 323
Psoriasis of face from PUVA? (Correspondence), 506
Psoriasis, pustular, and neutrophil receptors, 53
Psoriasis, PUVA and etretinate trials (Correspondence), 121
Psoriasis, retinoids and PUVA (Correspondence), 122
Psoriasis, the 'metabolic burst' in polymorphs, 387
Psoriasis treated with etretinate, effect on liver, 77
Psoriatic plaques after tape-stripping, 517
Psoriatic skin, abnormal maturation pathway of keratinocytes, 647
Purpura, Henoch-Schönlein, 235
Pustular dermatosis from isoniazid (correspondence), 504
PUVA and etretinate compared in palmoplantar pustulosis, 455
PUVA and etretinate for psoriasis (Correspondence), 121
PUVA and retinoids in psoriasis (Correspondence), 122
PuVA causing facial psoriasis? (Correspondence), 506

Retinoid inhibition of epidermal cell growth, 637
Retinoids and PUVA in psoriasis (Correspondence), 122
Roaccutane and Tigason effects on serum lipoproteins compared, 69

SCaBER cells and pemphigus-like antigens, 157
Sclerodermatomyositis with cutaneous amyloidosis, 213
Sebum excretion in paraplegia, 569
Segmental neurofibromatosis, 107

Serology and bacteriology in cellulitis and erysipelas, 559
Silcock's base (Correspondence), 246
Skin irritation from transdermal drug systems, 461
Skin perfusion *in vitro*, 299
Skin thickness measurements compared, 195
Sneddon syndrome, histology, 703
Sodium cromoglycate topically in atopic eczema, 343
Speckled immunofluorescence of epidermal nuclei, 555
Spironolactone for acne, hirsutism and alopecia (Correspondence), 124
Steinmannism and coudability (Correspondence), 630
Steroid sulphatase deficiency and ichthyosis vulgaris and X-linked ichthyosis, 431
Stratum compactum analysed, 1
Striae, histopathology, 185
Sunscreen protection factors, 113
Sunscreens in photosensitivity evaluated, 83
Sweat gland, effect of heat on duct, 165
Sweat glands, intercellular canaliculi, 397
Swimming pool granuloma (Case Report), 229
Systemic sclerosis, antinuclear antibodies in relatives, 23
Systemic sclerosis, epidermal nuclear immunofluorescence, 15

Tape-stripping and psoriatic plaque formation, 517
Tartrazine causing nail staining (Correspondence), 729
Tattoo removal with infra-red coagulation, 481
T-cell lymphoma and blood lymphocytes (Summary), 231
T-cell lymphoma and total skin irradiation, 697
T-cell lymphoma, cytophagocytic histiocytosis and panniculitis, 87
Testosterone and dermatitis herpetiformis, 57
Thalidomide for chronic aphthae (Correspondence), 632
Thalidomide therapy causing polyneuropathy, 475
Thickness of skin by ultrasound and calipers compared, 195
Thin layer rapid use epicutaneous test (TRUE-test), 63
Tigason and Roaccutane effects on lipoproteins compared, 69
T-lymphocyte subsets in atopic eczema, 149
Transdermal drug systems causing skin irritation, 461
TRUE-test, a new patch test, 63
Treatment. Etretinate in psoriasis, effect on liver, 77

Urticaria, chronic and α_1-antitryn deficiency, 381
Urticaria, dermographic, astemizole and chlorpheniramine compared, 447

Vascular permeability modulated by captopril, 43
Venous flow measurements (Summary), 232
X-linked ichthyosis, prenatal diagnosis and presentation, 423

Zinc pyrithione shampoo for dandruff, 415
Zinc sulphate and recurrent herpes simplex (Correspondence), 123

AUTHORS

ACOSTA, E. and IVANYL, L. Identification of pemphigus-like antigens expressed by SCaBER cells, 157
AINSWORTH, S.K. *see* CHEN, ZE-YI
ALLEN, M.H. *see* ZACHARY, C.B.
ALMEYDA, J. *see* LEVIN, J.
ARCHER, C.B., PAGE, C.P., MORLEY, J. and MACDONALD, D.M. Accumulation of inflammatory cells in response to intracutaneous platelet activating factor (Paf-acether) in man, 285
ARIYANAYAGAM, M., BARLOW, T.J.G., GRAHAM, P., HALL-SMITH, S.P. and HARRIS, J.M. Tropical sodium cromoglycate in the management of atopic eczema—a controlled trial, 343
ARONSON, I.K., WEST, D.P., VARIAKOJIS, D., RONAN, S.G., IOSSIFIDES, I. and ZEITZ, H.J. Panniculitis associated with cutaneous T-cell lymphoma and cytophagocytic histiocytosis, 87
ARTS, W.F.M. *see* ORANJE, A.P.
ASBOE-HANSEN, G. *see* WULFF, C.H.
ASHWORTH, J. *see* FAIRRIS, G.M.
ATAKAN, N. *see* KÜRKÇÜOĞLU, N.

BÄCK, O. and EGELRUD, T. Topical glucocorticoids and suppression of contact sensitivity. A mouse bioasay of antiinflammatory effects, 539
BARAN, R. An inherited nail dystrophy principally affecting the great toenails (Correspondence), 124
BARAN, R. and LAUGIER, P. Melanonychia induced by topical 5-fluorouracil, 621
BARLOW, T.J.G. *see* ARIYANAYAGAM, M.
BARNETSON, R.STC. *see* GAWKRODGER, D.J.
BASHAM, T.Y. *see* NICKOLOFF, B.J.
BAUER, F.W., VAN DER KERKHOF, P.C.M., BOEZEMAN, J.B.M. and DE GROOD, R.M. The blood lymphocyte in cutaneous T-cell lymphomas (Summary), 231
BENNETT, S. *see* GRAHAM, R.M.
BERNARD, B.A., ROBINSON, S.M., VANDAELE, S., MANSBRIDGE, J.N. and DARMON, M. Abnormal maturation pathway of keratinocytes in psoriatic skin, 647
BERNARD, B.A. *see* JUHLIN, L.
BERNHARD, J.D. Does atypical psoriasis result from PUVA treatment? (Correspondence), 506
BHOGAL, B. *see* NEWTON, J.A.
BHOGAL, B. *see* WOJNAROWSKA, F.
BHUTANI, L.K. *see* WOJNAROWSKA, F.
BJARNASON, I., GOOLAMALI, S.K., LEVI, A.J. and PETERS, T.J. Intestinal permeability in patients with atopic eczema, 291
BLACK, M.M. *see* WOJNAROWSKA, F.
BLEUMINK, E. *see* DOEGLAS, H.M.G.
BODDÉ, H.E. *see* HURKMANS, J.F.G.M.
BOEZEMAN, J.B.M. *see* BAUER, F.W.
BOUIC, P., KANITAKIS, J., SCHMITT, D., VINCENT, C., REVILLARD, J.P. and THIVOLET, J. α_1-Microglobulin: a new antigenic component of the epidermo-dermal junction in normal human skin, 35
BOWSER, P.A. and WHITE, R.J. Isolation, barrier properties and lipid analysis of stratum compactum, a discrete region of the stratum corneum, 1
BRAKKEE, A.G.M. *see* KLEIN ROUWELER, B.J.F.
BREAR, S.G., RADEMAKER, M., HASLETON, P. and DOYLE, L. Target-like skin lesions in primary amyloidosis, 209
BRODTHAGEN, H. *see* WULFF, C.H.
BURKE, B.M. and CUNLIFFE, W.J. Oral spironolactone therapy for female patients with acne, hirsutism or androgenic alopecia (Correspondence), 124
BUYS, C.M. *see* WEISS, V.C.

CALLENDER, M. *see* LAVERY, H.
CALNAN, C.D. *see* PRICE, M.L.
CAMISA, C. and WILLIAMS, H. Epidermolytic variant of hereditary palmoplantar keratoderma, 221
CARSTAIRS, L.S. *see* SPITERI, M.A.
CHAPMAN, D.V. *see* GRAHAM, R.M.
CHASE, D.G. *see* HENG, M.C.Y.
CHEN, ZE-YI, DOBSON, R.L., AINSWORTH, S.K., SILVER, R.M. and MARICQ, H.R. Epidermal nuclear immunofluorescence: serological correlations supporting an *in vivo* reaction, 15
CHERRY, G.W. *see* COLVER, G.B.
CHRISTENSEN, I.J. *see* RALFKIAER, E.
CLANACHAN, I., DEVITT, H., FOREMAN, M.I. and PICTON, W. An alternative pharmacological approach to the detection of anti-androgenic drugs for acne therapy, 329
CLARK, C. *see* FOREMAN, M.I.
CLAYTON, Y.M. *see* HAY, R.J.
CLAYTON, Y.M. *see* HOPE, Y.P.
COLMAN, G. *see* LEPPARD, B.J.
COLVER, G.B., CHERRY, G.W., DAWBER, R.P.R. and RYAN, T.J. Tattoo removal using infra-red coagulation, 481
CONWAY, J. *see* THOMAS, S.E.
CORBETT, M. Controlled trials of PUVA and etretinate for psoriasis (Correspondence), 121
CORMANE, R.H. *see* STOLK, L.M.L.
COTTERILL, J.A. *see* FAIRRIS, G.M.
CUNLIFFE, W.J. *see* BURKE, B.M.
CUNLIFFE, W.J. *see* HOLLAND, D.B.
CZARNECKI, D. *see* MONTGOMERY, I.

DALBIEZ, C. *see* JUHLIN, L.
DARMON, M. *see* BERNARD, B.A.
DAWBER, R.P.R. *see* COLVER, G.B.
DE GROOD, R.M. *see* BAUER, F.W.
DE KORT, W.J.A. Bullous ichthyosiform hyperkeratosis (Case Report), 227
DE VROOME, H. *see* VAN VLOTEN, W.A.
DELBRIDGE, L., ELLIS, C.S., ROBERTSON, K. and LEQUESNE, L.P. Non-enzymatic glycosylation of

keratin from the stratum corneum of the diabetic foot, 547
DESJARLAIS, L. *see* KRAGBALLE, K.
DEVITT, H. *see* CLANACHAN, I.
DEVITT, H. *see* FOREMAN, M.I.
DIFFEY, B.L. and FARR, P.M. An evaluation of sunscreens with broad action-spectrum photosensitivity, 83
DIFFEY, B.L. *see* FARR, P.M.
DOBSON, R.L. *see* CHEN, ZE-YI
DODD, H.J., KIRBY, J.D.T. and MUNRO, D.D. Megaloblastic anaemia in psoriatic patients treated with methotrexate (Correspondence), 630
DOEGLAS, H.M.G., KLASEN, E.C. and BLEUMINK, E. α_1-Antitrypsin deficiency and PI typing in patients with chronic urticaria, 381
DOWD, P.M. *see* HAY, R.J.
DOYLE, L. *see* BREAR, S.G.
DUBERTRET, L. *see* MORLIÈRE, P.
DYKES, P.J. *see* HASHIMOTO, T.

EBLING, F.J.G. *see* THOMAS, S.E.
EDWARDS, C.R.W. *see* GAWKRODGER, D.J.
EGELRUD, T. *see* BÄCK, O.
EKSIOĞLU, M. *see* KÜRKÇÜOĞLU, N.
EL BAZE, P., MILANO, G., VERRANDO, P., RENEE, N. and ORTONNE, J.P. Distribution of polyamines in human epidermis, 393
ELDER, H.Y. *see* MONTGOMERY, I.
ELDER-SMITH, J.G. *see* HOPE, Y.P.
ELLIS, C.S. *see* DELBRIDGE, L.
EMMONS, K.M. *see* WEISS, V.C.
ENGSTRÖM-LAURENT, A. *see* LUNDIN, A.
ESKELINEN, A. *see* LASSUS, A.

FAIRRIS, G.M., ASHWORTH, J. and COTTERILL, J.A. A dermatosis associated with bacterial overgrowth in jejunal diverticula, 709
FAIRRIS, G.M., JONES, D.H., MACK, D.P. and ROWELL, N.R. Conventional superficial X-ray versus Grenz ray therapy in the treatment of constitutional eczema of the hands, 339
FARR, P.M. and DIFFEY, B.L. How reliable are sunscreen protection factors, 113
FARR, P.M. *see* DIFFEY, B.L.
FISCHER, T.I. and MAIBACH, H.I. The thin layer rapid use epicutaneous test (TRUE-test), a new patch test method with high accuracy, 63
FLETCHER, P.J.H. *see* NORRIS, J.F.B.
FOREMAN, M.I., TAYLOR, M., CLARK, C., DEVITT, H., HANLON, G., KELLY, I. and LUKOWIECKI, G. Isoquinoline is a possible anti-psoriatic agent in coal tar, 323
FOREMAN, M.I. *see* CLANACHAN, I.
FORSTER, S., ILDERTON, E., NORRIS, J.F.B., SUMMERLY, R. and YARDLEY, H.J. Characterization and activity of phospholipase A_2 in normal human epidermis and in lesion-free epidermis of patients with psoriasis or eczema, 135
FOSSE, M. *see* MORLIÈRE, P.
FRENK, E. *see* MEVORAH, B.
FRY, L. *see* GRIFFITHS, C.E.M.
FURUYA, T. *see* ORIHARA, T.

GAWKRODGER, D.J., SWEETING, V.M., EDWARDS, C.R.W. and BARNETSON, R.StC. Male sex hormone status in dermatitis herpetiformis, 57
GEERDINK, J.P.M., TROOST, P.W., SCHALKWIJK, J., JOOSTEN, L.A.B. and MIER, P.D. The 'metabolic burst' in polymorphonuclear leukocytes from patients with quiescent psoriasis, 387
GERAINT JAMES, D. *see* SPITERI, M.A.
GERRITS, M. *and* LECLUSE, R.G.M. Glucagon syndrome (Case Report), 229
GIBSTINE, C. *see* REONIGK, H.H. JR.
GIGLI, I. *see* LIM, H.W.
GLAZER, S. *see* REONIGK, H.H.JR.
GOOLAMALI, S.K. *see* BJARNASON, I.
GOOLAMALI, S.K. *see* HONOUR, J.W.
GORDON, T. *see* SPITERI, M.A.
GOULD, D.J. *see* HAMILTON, D.V.
GOWLAND, G. *see* HOLLAND, D.B.,
GRAHAM, P. *see* ARIYANAYAGAM, M.
GRAHAM, R.M., JAMES, P. and BENNETT, S. Low concentration zinc sulphate solution in the mangement of recurrent herpes simplex infection (Correspondence), 123
GRAHAM, R.M., MCKEE, P.H., CHAPMAN, D.V., RICHARDSON, T.C., STOKOE, M.R. and HEYDERMAN, E. Intercellular canaliculi in eccrine sweat glands: an immunoperoxidase study, 397
GRIFFITHS, C.E.M., LEONARD, J.N. and FRY, L. Dermatitis herpetiformis exacerbated by indomethacin, 443
GRIFFITHS, W.A.D. *see* HAY, R.J.

HALL-SMITH, S.P. *see* ARIYANAYAGAM, M.
HALLAS, G. *see* LEPPARD, B.J.
HÄLLGREN, R. *see* LUNDIN, A.
HAMILTON, D.V. and GOULD, D.J. Generalized pruritus as a presentation of idiopathic haemochromatosis (Correspondence), 629
HAND, M.J. *see* NORRIS, J.F.B.
HANLON, G. *see* FOREMAN, M.I.
HARRINGTON, C.I. *see* THOMAS, S.E.
HARRIS, J.M. *see* ARIYANAYAGAM, M.
HASHIMOTO, T., DYKES, P.J. and MARKS, R. Retinoid-induced inhibition of growth and reduction of spreading of human epidermal cells in culture, 637
HASLETON, P. *see* BREAR, S.G.
HAY, R.J., CLAYTON, Y.M., GRIFFITHS, W.A.D. and DOWD, P.M. A comparable double blind study of ketoconazole and griseofulvin in dermatophytosis, 691
HAY, R.J. *see* HOPE, Y.P.
HENG, M.C.Y., KLOSS, S.G., KUEHN, C.S. and CHASE, D.G. The sequence of events in psoriatic plaque formation after tape-stripping, 517
HENG, MC.Y. Henoch-Schönlein purpura, 235
HENG, M.C.Y., MOY, R.L. and LIEBERMAN, J. α_1-Antitrypsin deficiency in severe psoriasis, 129
HEYDERMAN, E. *see* GRAHAM, R.M.
HEYL, T. Treatment of chromomycosis with itraconazole (Correspondence), 728
HIERNICKEL, H. An improved method for *in vitro* perfusion of human skin, 299
HINDSON, T.C., SPIRO, J. and SCOTT, L.V. Clobetasol

propionate ointment reduces inflammation after cryotherapy, 599
HIRANO, S. *see* YOSHIKAWA, K.
HOLLAND, D.B., GOWLAND, G. and CUNLIFFE, W.J. Age incidence of antibodies to normal human epidermis, 687
HONOUR, J.W., GOOLAMALI, S.K. and TAYLOR, N.F. Prenatal diagnosis and variable presentation of recessive X-linked ichthyosis, 423
HOPE, Y.P., CLAYTON, Y.M., HAY, R.J., NOBLE, W.C. and ELDER-SMITH, J.G. Foot infection in coal miners: a reassessment, 405
HØYER, H. *see* WULFF, C.H.
HUME, W.J. Keratinocyte proliferative hierarchies confer protective mechanisms in surface epithelia, 493
HURKMANS, J.F.G.M., BODDÉ, H.E., VAN DRIEL, L.M.J., VAN DOORNE, H. and JUNGINGER, H.E. Skin irritation caused by transdermal drug delivery systems during long-term (5 days) application, 461

IKEDA, S. *see* TAKAMORI, K.
ILDERTON, E. *see* FORSTER, S.
IMAIZUMI, S. *see* IWATSUKI, K.
ISIBASHI, Y. *see* TAKEHARA, K.
IVANYI, L. *see* ACOSTA, E.
IWATSUKI, K., IMAIZUMI, S., TSUGIKI, M., YAMADA, M. and TAGAMI, H. Alterations of surface receptors on intralesional neutrophils in pustular psoriasis and palmo-plantar pustulosis, 53

JABLONSKA, S. *see* MAJEWSKI, S.
JAGJIVAN, A. *see* NEWTON, J.A.
JAMES, P. *see* GRAHAM, R.M.
JONES, D.H. *see* FAIRRIS, G.M.
JOOSTEN, L.A.B. *see* GEERDINK, J.P.M.
JUHLIN, L., BERNARD, B.A. and DALBIEZ, C. Stellate fibrin-fibronectin microclot formation from keratinocytes and fibroblasts stimulated by plasma from patients with psoriasis, 271
JUNGINGER, H.E. *see* HURKMANS, J.F.G.M.

KALIS, T.J., *see* ORANJE, A.P.
KAMIDE, R. *see* LIM, H.W.
KANITAKIS, J. *see* BOUIC, P.
KARINIEMI, A.-L., RAMAEKERS, F., LEHTO, V.-P. and VIRTANEN, I. Paget cells express cytokeratins typical of glandular epithelia, 179
KATAYAMA, I. and NISHIOKA, K. Autoimmune progesterone determatitis with persistent amenorrhoea, 487
KATO, T. *see* YOSHIKAWA, K.
KAUPPINEN, K. and STUBB, S. Fixed eruptions: causative drugs and challenge tests, 575
KAWASAKI, Y. *see* YAMASAKI, R.
KELLY, I. *see* FOREMAN, M.I.
KRIBY, J.D.T. *see* DODD, H.J.
KLASEN, E.C. *see* DOEGLAS, H.M.G.
KLEIN ROUWELER, B.J.F., BRAKKEE, A.G.M. and KUIPER, J.P. Non-invasive measurements of venous flow resistance in various patients with abnormal venous haemodynamics. Preliminary results (Summary), 232
KLIGMAN, A.M. *see* ZHENG, P.
KLOSS, S.G. *see* HENG, M.C.Y.
KOLDE, G. *see* VAKILZADEH, F.
KRAGBALLE, K., DESJARLAIS, L. and MARCELO, C.L. Increased DNA synthesis of uninvolved psoriatic epidermis is maintained *in vitro*, 263
KRAKOWSKI, A. *see* WOLF, R.
KRAUSE, L.B. and SHUSTER, S. A comparison of astemizole and chlorpheniramine in dermographic urticaria, 447
KUEHN, C.S. *see* HENG, M.C.Y.
KUIPER, J.P. *see* KLEIN ROUWELER, B.J.F.
KÜRKÇÜOĞLU, N., ATAKAN, N. and EKSIOĞLU, M. Thalidomide in the treatment of recurrent necrotic mucocutaneous aphthae (Correspondence), 632

LANGNER, A. *see* MAJEWSKI, S.
LARSEN, J.K. *see* RALFKIAER, E.
LASSUS, A., LAUHARANTA, J. and ESKELINEN, A. The effect of etretinate compared with different regimens of PUVA in the treatment of persistent palmoplantar pustulosis, 455
LAUGIER, P. *see* BARAN, R.
LAUHARANTA, J. *see* LASSUS, A.
LAVERY, H., PINKERTON, J.H.M. and CALLENDER, M. The association of lichen sclerosus et atrophicus and primary biliary cirrhosis (Correspondence), 729
LAVKER, R.M. *see* ZHENG, P.
LAWLOR, F. and PEIRIS, S. Harlequin fetus successfully treated with etretinate, 585
LAWRENCE, C.M. and SHUSTER, S. Comparison of ultrasound and caliper measurements of normal and inflamed skin thickness, 195
LAWRENCE, C.M. *see* SHUSTER, S.
LAYDEN, T. *see* WEISS, V.C.
LECLUSE, R.G.M. and VAN HUYSTEE, B.E.W.L. Maduramycosis (Case Report), 229
LECLUSE, R.G.M. *see* GERITS, M.
LEHTO, V.-P. *see* KARINIEMI, A.-L.
LEONARD, J.N. *see* GRIFFITHS, C.E.M.
LEPPARD, B.J., SEAL, D.V., COLMAN, G. and HALLAS, G. The value of bacteriology and serology in the diagnosis of cellulitis and erysipelas, 559
LEQUESNE, L.P. *see* DELBRIDGE, L.
LEVENE, C.I. Possibilities for the therapeutic control of fibrosis, 363
LEVI, A.J. *see* BJARNASON, I.
LEVIN, J. and ALMEYDA, J. Erythroderma due to etretinate (Correspondence), 373
LIEBERMAN, J. *see* HENG, M.C.Y.
LIM, H.W., KAMIDE, R. and GIGLI, I. Effect of captopril on the vascular permeability changes induced by C5a, histamine and compound 48/80, 43
LUKOWIECKI, G. *see* FOREMAN, M.I.
LUNDIN, A., ENGSTRÖM-LAURENT, A., HÄLLGREN, R. and MICHAËLSSON, G. Circulating hyaluronate in psoriasis, 663

MACDONALD, D.M. *see* ARCHER, C.B.
MACDONALD, D.M. *see* PRICE, M.L.
MACDONALD, D.M. *see* ZACHARY, C.B.
MCEWAN JENKINSON, D. *see* MONTGOMERY, I.
MCGIBBON, D.H. *see* NEWTON, J.A.

McKee, P.H. *see* Graham, R.M.
McKee, P.H. *see* Newton, J.A.
MacKie, R.M. *see* Montgomery, I.
Mack, D.P. *see* Fairris, G.M.
Maibach, H.I. *see* Fischer, T.I.
Majewski, S., Jablonska, S., Langner, A., Pawinska, M. and Szmurlo, A. The adherence to human endothelium and plastic of neutrphils from psoriatic patients, and the effects of psoriatic patients' sera on normal neutrophils, 655
Manabe, M. *see* Yoshiike, T.
Mansbridge, J.N. *see* Bernard, B.A.
Marazzi, A. *see* Mevorah, B.
Marcelo, C.L. *see* Kragballe, K.
Maricq, H.R. *see* Chen Ze-Yi
Marks, J.M. *see* Shuster, S.
Marks, R., Pearse, A.D. and Walker, A.P. The effects of a shampoo containing zinc pyrithione on the control of dandruff, 415
Marks, R. *see* Hashimoto, T.
Marsch, W.Ch. and Muckelmann, R. Generalized racemose livedo with cerebrovascular lesions (Sneddon syndrome): an occlusive arteriolopathy due to proliferation and migration of medial smooth muscle cells, 703
Marshall, T.L. *see* Norris, J.F.B.
Matsui, T. *see* Yoshiike, T.
Matthey, F. *see* Spiteri, M.A.
Meenan, F.O.C. Silcock's base (Correspondence), 246
Melo, T.Sa E. *see* Morlière, P.
Merigan, T.C. *see* Nickoloff, B.J.
Mevorah, B., Marazzi, A. and Frenk, E. The prevalence of accentuated palmoplantar markings and keratosis pilaris in atopic dermatitis, autosomal dominant ichthyosis and control dermatological patients, 679
Michaëlsson, G. *see* Lundin, A.
Michaëlsson, G. *see* Vahlquist, C.
Mier, P.D. *see* Geerdink, J.P.M.
Milano, G. *see* El Baze, P.
Miyachi, Y. Dapsone and oxygen intermediates (Correspondence), 246
Miyagawa, S., Ohi, H., Muramatsu, T., Okuchi, T., Shirai, T. and Sakamoto, K. Lichen planus pemphigoides-like lesions induced by cinnarizine, 607
Mizuno, N. *see* Yoshikawa, K.
Mohl, E. Coudability gaps and Steinmannism (Correspondence), 630
Montgomery, I., McEwan Jenkinson, D., Elder, H.Y., Czarnecki, D. and Mackie, R.M. The effects of thermal stimulation on the ultrastructure of the human atrichial sweat gland. II. The duct, 165
Morhenn, V.B. *see* Nickoloff, B.J.
Morley, J. *see* Archer, C.B.
Morlière, P., Dubertret, L., Melo, T.Sa E., Salet, C., Fosse, M. and Santus, R. The effect of anthralin (dithranol) on mitochondria, 509
Moroi, Y. *see* Takehara, K.
Moy, R.L. *see* Heng, M.C.Y.
Muckelmann, R. *see* Marsch, W.Ch.
Munro, D.D. *see* Dodd, H.J.
Mutamtsu, T. *see* Miyagawa, S.

Naito, K. *see* Takamori, K.
Nagasako, R. *see* Yamasaki, R.
Negi, M. *see* Yoshiike, T.
Nemachausky, B.A. *see* Weiss, V.C.
Newton, J.A., Jagjivan, A., Bhogal, B., McKee, P.H. and McGibbon, D.H. Familial primary cutaneous amyloidosis, 201
Newton, J.A., Spaull, J., McGibbon, D.H. and Wilson Jones, E. Malignant angiosarcoma of the scalp: a case report with immunohistochemical studies, 97
Nickoloff, B.J., Basham, T.Y., Merigan, T.C. and Morhenn, V.B. Keratinocyte class II histocompatibility antigen expression (Correspondence), 373
Nieboer, C. Actinic superficial folliculitis; a new entity? 603
Nishioka, K. *see* Katayama, I.
Noble, W.C. *see* Hope, Y.P.
Noordijk, E.M. *see* van Vloten, W.A.
Norris, J.F.B., Smith, A.G., Fletcher, P.J.H., Marshall, T.L. and Hand, M.J. Neurofibromatous dermal hypoplasia: a clinical, pharmacological and ultrastructural study, 435
Norris, J.F.B. *see* Forster, S.
Nunzi, E. *see* Parodi, A.
Ogawa, H. *see* Takamori, K.
Ogawa, H. *see* Yoshiike, T.
Ohi, H. *see* Miyagawa, S.
Okuchi, T. *see* Miyamagawa, S.
Oranje, A.P., Vuzevski, V.D., Kalis, T.J., Arts, W.F.M., van Joost Th. and Stolz, E. Segmental neurofibromatosis, 107
Orihara, T., Yanase, S. and Furuya, T. A case of sclerodermatomyositis with cutaneous amyloidosis, 213
Ortonne, J.P. *see* El Baze, P.

Page, C.P. *see* Archer, C.B.
Parodi, A., Nunzi, E. and Rebora, A. The speckled immunofluorescence of epidermal nuclei as an *in vivo* phenomenon, 555
Pawinska, M. *see* Majewski, S.
Pearse, A.D. *see* Marks, R.
Peiris, S. *see* Lawlor, F.
Peters, T.J. *see* Bjarnason, I.
Picton, W. *see* Clanachan, M.I.
Pinkerton, J.H.M. *see* Lavery, H.
Price, M.L., Wilson Jones, E., Calnan, C.D. and MacDonald, D.M. Lichen aureus: A localized persistent form of pigmented purpuric dermatitis, 307

Rademaker, M. *see* Brear, S.G.
Ralfkiaer, E., Wantzin, G.L., Larsen, J.K., Christensen, I.J. and Thomsen, K. Single cell DNA measurements in benign cutaneous lymphoid infiltrates and in positive patch tests, 253
Ramaekers, F. *see* Kariniemi, A.-L.
Rebora, A. and Rongioletti, F. Chronic active hepatitis and lichen planus (Correspondence), 631
Rebora, A. *see* Parodi, A.
Renee, N. *see* El Baze, P.
Revillard, J.P. *see* Bouic, P.

REYNOLDS, J.J. The molecular and cellular interactions involved in connective tissue destruction, 715
RICHARDSON, T.C. *see* GRAHAM, R.M.
ROBERTSON, K. *see* DELBRIDGE, L.
ROBINSON, S.M. *see* BERNARD, B.A.
ROENIGK, H.H.JR., GIBSTINE, C., GLAZER, S., SPARBERG, M. and YOKOO, H. Serial liver biopsies in psoriatic patients receiving long-term etretinate, 77
RONAN, S.G. *see* ARONSON, I.K.
RONGIOLETTI, F. *see* REBORA, A.
ROWELL, N.R. *see* FAIRRIS, G.M.
RYAN, T.J. *see* COLVER, G.B.

SAKAMOTO, K. *see* MIYAGAWA, S.
SALET, C. *see* MORLIÈRE, P.
SANDBANK, M. *see* WOLF, R.
SANTUS, R. *see* MORLIÈRE, P.
SCHALKWIJK, J. *see* GEERDINK, J.P.M.
SCHMITT, D. *see* BOUIC, P.
SCOTT, L.V. *see* HINDSON, T.C.
SEAL, D.V. *see* LEPPARD, B.J.
SENTIS, H.J., WILLEMZE, R. and VAN VLOTEN, W.A. Polychemotherapy in advanced mycosis fungoides (Summary), 232
SHIRAI, T. *see* MIYAGAWA, S.
SHUSTER, S., MARKS, J.M. and LAWRENCE, C.M. Retinoids and PUVA in psoriasis (Correspondence), 122
SHUSTER, S. *see* KRAUSE, L.B.
SHUSTER, S. *see* LAWRENCE, C.M.
SIDDIQUI, A.H. *see* STOLK, L.M.L.
SILVER, R.M. *see* CHEN ZE-YI
SMITH, A.G. *see* NORRIS, J.F.B.
SPARBERG, M. *see* ROENIGK, H.H., JR.
SPAULL, J. *see* NEWTON, J.A.
SPINOWITZ, A. *see* WEISS, V.C.
SPIRO, J. *see* HINDSON, T.C.
SPITERI, M.A., MATTHEY, F., GORDON, T., CARSTAIRS, L.S. and GERAINT JAMES, D. Lupus pernio: a clinico-radiological study of thirty-five cases, 315
STOKOE, M.R. *see* GRAHAM, R.M.
STOLK, L.M.L., SIDDIQUI, A.H., WESTERHOF, W. and CORMANE, R.H. Comparison of bioavailability and phototoxicity of two oral preparations of 5-methoxy-psoralen, 469
STOLZ, E. *see* ORANJE, A.P.
STUBB, S. *see* KAUPPINEN, K.
SUMMERLY, R. *see* FORSTER, S.
SWEETING, V.M. *see* GAWKRODGER, D.J.
SZMURLO, A. *see* MAJESKI, S.

TAGAMI, H. *see* IWATSUKI, K.
TAKAMORI, K., IKEDA, S., NAITO, K. and OGAWA, H. Proteases are responsible for blister formation in recessive dystrophic epidermolysis bullosa and epidermolysis bullosa simplex, 533
TAKEHARA, K., MOROI, Y. and ISHIBASHI, Y. Antinuclear antibodies in the relatives of patients with systemic sclerosis, 23
TAYLOR, M. *see* FOREMAN, M.I.
TAYLOR, N.F. *see* HONOUR, J.W.
TEUNISSEN, H.H.J. Swimming pool granuloma (Case Report), 229
THIVOLET, J. *see* BOUIC, P.
THOMAS, S.E., CONWAY, J., EBLING, F.J.G. and HARRINGTON, C.I. Measurement of sebum excretion rate and skin temperature above and below the neurological lesion in paraplegic patients, 569
THOMSEN, K. *see* RALFKIAER, E.
TOBACMAN, J.K. Do malignant melanoma cells arise from the hair follicle? (Correspondence), 727
TROOST, P.W. *see* GEERDINK, J.P.M.
TSUGIKI, M. *see* IWATSUKI, K.

VAHLQUIST, A. *see* VAHLQUIST, C.
VAHLQUIST, C., MICHAËLSSON, G., VAHLQUIST, A. and VESSBY, B. A sequential comparison of etretinate (Tigason) and isotretinoin (Roaccutane) with special regard to their effects on serum lipoproteins, 69
VAKILZADEH, F. and KOLDE, G. Relapsing linear acantholytic dermatosis, 349
VAN DER KERKHOF, P.C.M. *see* BAUER, F.W.
VAN DOORNE, H. *see* HURKMANS, J.F.G.M.
VAN DRIEL, L.M.J. *see* HURKMANS, J.F.G.M.
VAN HUYSTEE, B.E.W.L. *see* LECLUSE, R.G.M.
VAN JOOST, TH. *see* ORANJE, A.P.
VAN VLOTEN, W.A., DE VROOME, H. and NOORDIJK, E.M. Total skin electron beam irradiation for cutaneous T-cell lymphoma (mycosis fungoides), 697
VAN VLOTEN, W.A. *see* SENTIS, H.J.
VANDAELE, S. *see* BERNARD, B.A.
VARIAKOJIS, D. *see* ARONSON, I.K.
VERBOV, J. Topical tartrazine as an unusual cause of nail staining (Correspondence), 729
VERRANDO, P. *see* EL BAZE, P.
VESSBY, B. *see* VAHLQUIST, C.
VICKERS, H.R. Bullae in diabetics (Correspondence), 248
VINCENT, C. *see* BOUIC, P.
VIRTANEN, I. *see* KARINIEMI, A.-L.
VUZEVSKI, V.D. *see* ORANJE, A.P.

WALKER, A.P. *see* MARKS, R.
WANTZIN, G.L. *see* RALFKIAER, E.
WEISS, V.C., LAYDEN, T., SPINOWITZ, A., BUYS, C.M., NEMCHAUSKY, B.A., WEST, D.P. and EMMONS, K.M. Chronic active hepatitis associated with etretinate therapy, 591
WEST, D.P. *see* ARONSON, I.K.
WEST, D.P. *see* WEISS, V.C.
WESTERHOF, W. *see* STOLK, L.M.L.
WHITE, R.J. *see* BOWSER, P.A.
WILKIN, J.K. Climacteric flushing in a patient with carcinoid tumour, 357
WILEMZE, R. *see* SENTIS, H.J.
WILLIAMS, H. *see* CAMISA, C.
WILSON JONES, E. *see* NEWTON, J.A.
WILSON JONES, E. see PRICE, M.L.
WOJNAROWSKA, F., BHOGAL, B., BLACK, M.M. and BHUTANI, L.K. The immunofluorescence findings in Indian pemphigus (Correspondence), 503
WOLF, R., SANDBACK, M. and KRAKOWSKI, A. Extensive pityriasis alba and atopic dermatitis (Correspondence), 247

WRIGHT, S. Essential fatty acids in the plasma phospholipids of patients with leprosy, 673
WULFF, C.H., HØYER, H., ASBOE-HANSEN, G. and BRODTHAGEN, H. Development of polyneuropathy during thalidomide therapy, 475

YAMADA, M. *see* IWATSUKI, K.
YAMASAKI, M. *see* YAMASAKI, R.
YAMASAKI, R., YAMASAKI, M., KAWASAKI, Y. and NAGASAKO, R. Generalized pustular dermatosis caused by isoniazid (Correspondence), 504
YANASE, S. *see* ORIHARA, T.
YARDLEY, H.J. *see* FORSTER, S.
YOKOO, H. *see* ROENIGK, H.H.JR.
YOSHIIKE, T., MANABE, M., NEGI, M. and OGAWA, H. Ichthyosis linearis circumflexa: morphological and biochemical studies, 277
YOSHIIKE, T., MATSUI, T. and OGAWA, H. Steroid sulphatase deficiency in patients initially diagnosed as ichthyosis vulgaris or recessive X-linked ichthyosis, 431
YOSHIKAWA, K., HIRANO, S., KATO, T. and MIZUNO, N. A case of eruptive keratoacanthoma treated by oral etretinate, 579

ZACHARY, C.B., ALLEN, M.H. and MACDONALD, D.M. *In situ* quantification of T-lymphocyte subsets and Langerhans cells in the inflammatory infiltrate of atopic eczema, 149
ZEITZ, H.J. *see* ARONSON, I.K.
ZHENG, P., LAVKER, R.M. and KLIGMAN, A.M. Anatomy of striae, 185